



Salesforce Accessibility Conformance Report International Edition

VPAT® (Voluntary Product Accessibility Template®) version 2.5

Name of Product/Version:	Tableau Server Administration 25.3
Report Date:	March 2026
Product Description:	Tableau Server Administration enables individuals to drive change in their organizations by leveraging the power of human visual perception to help people understand data. Once a Tableau author reaches understanding and insights via the cycle of visual analysis and is ready to communicate to a broad audience, they can publish the resulting dashboards or views. This report focuses on the administrative functions of the Tableau Server Platform.
Contact information:	accessibility@salesforce.com
Notes:	<p>The scope of this ACR includes Tableau Server Administration functionalities such as Login, Home, Upload Workbook Modal, Personal Space, Personal Space (Move Assets Modal, Delete Confirmation Modal, Revision History Modal), Collections (Permission Modal, Change Owner Modal), External Assets - Data Quality Warning Modal, Users, Users - Detail, Groups (Detail, Detail - Add Users Modal), Jobs, Data Labels, Site Status, Site Status - Analysis Dashboard, Settings (General, Extensions, Extensions - New Connection Modal), Help, and Help - Detail.</p> <p>For more information, please visit Salesforce Product Accessibility Status at https://www.salesforce.com/company/legal/508_accessibility</p>
Evaluation Methods Used:	Conformance to the listed accessibility standards has been evaluated using a combination of static analysis tools and manual testing with assistive technologies. Testing included a representative sample of different pages, states and content types. The following operating system, browsers, toolsets, and screen readers are used for evaluation: Windows 11, JAWS/Chrome, NVDA/Firefox, VoiceOver/Safari (spot-checks), manual accessibility testing, and keyboard testing with visual focus.



Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A - Yes Level AA - Yes Level AAA - No
Web Content Accessibility Guidelines 2.1	Level A - Yes Level AA - Yes Level AAA - No
Web Content Accessibility Guidelines 2.2	Level A - Yes Level AA - Yes Level AAA - No
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - Clause 9 - Web
 - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
 - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
 - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
 - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
 - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Does Not Support</p>	<p>Web:</p> <p>Tableau Server Administration frequently fails to provide appropriate text alternatives for non-text content. Decorative images are often not hidden from assistive technologies, and meaningful images, including icons and graphics, are consistently missing alternative text or have inadequate descriptions, preventing screen reader users from understanding their purpose.</p>
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Not Applicable</p>	<p>Web:</p> <p>Tableau Server Administration does not contain any prerecorded audio-only or video-only content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Not Applicable</p>	<p>Web: Tableau Server Administration does not contain any prerecorded video with audio content.</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Not Applicable</p>	<p>Web: Tableau Server Administration does not contain any prerecorded video content in synchronized media.</p>
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Does Not Support</p>	<p>Web: Tableau Server Administration information, structures, and relationships conveyed through presentation are frequently not available to assistive technology users. This includes issues with accessible names for buttons and search fields, invalid ARIA listbox implementations, incorrect association of help text, and numerous instances where text styled as headings is not semantically marked up. Additionally, lists often announce an incorrect number of items, and related form fields, radio buttons, and checkboxes are not correctly grouped or linked to their labels in code.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration presents content in a meaningful sequence.</p>
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration does not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey information.</p>
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Partially Supports</p>	<p>Web:</p> <p>Tableau Server Administration generally avoids using color as the sole visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> ● Some popups only use colour to distinguish links from static texts. This can be found on multiple popups on 'Home', 'Personal Space' and 'Help - Detail' pages. ● Several links in tables use colour only to distinguish them from the surrounding text.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Some inline links use colour only to distinguish them from the static text in paragraphs and lists
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Not Applicable</p>	<p>Web:</p> <p>Tableau Server Administration does not contain any audio content.</p>
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Does Not Support</p>	<p>Web:</p> <p>Tableau Server Administration exhibits significant barriers for keyboard-only users. Several interactive elements, including text that only appears on hover, table column resizers, filter panel resizers, and multi-selectable chart elements, are not keyboard accessible. Additionally, some buttons, such as 'Open Menu' and 'Open Search' on the responsive 'Help' page when zoomed to 400%, cannot be activated using a keyboard with a screen reader.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration does not contain any keyboard traps.</p>
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that if a keyboard shortcut is implemented using only character keys (including punctuation, digit, or symbol characters), a mechanism is available to turn it off, remap it, or activate it only when the component has focus.</p>
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration has one instance where there is a site-wide time limit for signed-in sessions, and there is no mechanism available for users to extend or adjust this time limit.</p>
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.2 (Web) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration does not contain any moving, blinking, scrolling, or</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		auto-updating content that requires controls for pausing, stopping, or hiding.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: Tableau Server Administration does not contain any content that flashes more than three times in any one-second period, or the flash is below the general flash and red flash thresholds.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Partially Supports	Web: Tableau Server Administration generally provides a mechanism to bypass blocks of content that are repeated on multiple Web pages. However, in one instance, a skip link is missing on the 'Help' page with a common header or navigation.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) ● 10.2.4.2 (Non-web document) ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) - Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration Web pages have titles that describe the topic or purpose.</p>
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Does Not Support</p>	<p>Web:</p> <p>Tableau Server Administration frequently exhibits issues with logical focus order. Focus is often lost when interactive elements are removed or modals are dismissed, returning to the top of the page or browser controls. Programmatic focus order is illogical in several areas, including filter panels and interactive charts, requiring users to navigate backwards or through unexpected elements. Additionally, skip links sometimes set focus on the first interactive element on the page rather than the main content, and initial focus is not always managed as expected when panels open.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Partially Supports</p>	<p>Web:</p> <p>Tableau Server Administration generally ensures that the purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. However, on the 'Help page', the link text for the multiple 'More' links are not descriptive.</p>
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration ensures that all functionality that uses multipoint or path-based gestures can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.</p>
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration ensures that for functionality that can be operated using a single pointer, at least one of the following is true: no down-event or up-event is used to execute any part of the function, completion of the function is on the up-event and a mechanism is available to abort the function before completion or to undo the completion, the up-event reverses any outcome of the down-event, or the function is essential.</p>
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.3 (Web) 	<p>Web:</p> <p>Partially Supports</p>	<p>Web:</p> <p>Tableau Server Administration generally ensures that the accessible name of user interface components contains the text that is visually presented.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		However, there are a few exceptions: <ul style="list-style-type: none"> ● Several instances where ‘Yes’ and ‘No’ buttons are different from the accessible names in the ‘Help’ and ‘Help - Detail’ pages. ● One instance where Tabs buttons are different from their accessible names. ● One instance where the focusable container’s accessible name does not match its visible ‘Success’ label.
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: Tableau Server Administration does not contain functionality that can only be operated via device or user motion.
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: Tableau Server Administration specifies the default language for pages in the HTML.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>There are no context changes within the Tableau Server Administration user interface when components receive focus.</p>
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Tableau Server Administration ensures that changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web:</p> <p>Supports</p>	<p>Web:</p> <p>Help mechanisms across Tableau Server Administration occur in the same order relative to other pages.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that input errors are identified and described to the user in text.</p>
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally provides labels or instructions for input fields. However, there are a few exceptions:</p> <ul style="list-style-type: none"> ● Several search inputs rely on placeholder text for their visible label and accessible name. This occurs on the 'Collections - Permissions Modal', 'Collections Change Owner Modal' and 'External Assets - Data Quality Warning Modal' pages. ● Several form fields across various pages lack visible labels, although accessible names are sometimes provided via aria-label.
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that information previously entered by or provided to the user is not required to be re-entered, unless re-entering it is essential.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) - Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Not Evaluated</p>	<p>Web: This criterion has been removed from WCAG 2.2. In WCAG 2.1 and 2.0, this Success Criterion should be considered as always satisfied for any content using HTML or XML.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) - Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Does Not Support</p>	<p>Web: Tableau Server Administration frequently fails to ensure that user interface components (including form elements, links, and components generated by scripts) have a name, role, and value that can be programmatically determined and set. Issues include interactive elements lacking accessible names or having inaccurate roles, buttons not communicating their expanded/collapsed state, tree items not communicating a disabled state, and table sorting controls not announcing their sorted state.</p>

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.4 (Web) 	<p>Web: Not Applicable</p>	<p>Web: Tableau Server Administration does not contain any live video with audio content.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Not Applicable	Web: Tableau Server Administration does not contain any prerecorded video content in synchronized media.
<p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Tableau Server Administration does not restrict views or operations to a single display orientation.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.5 (Non-web document) ● 11.1.3.5.1 (Open Functionality Software) 	Web: Supports	Web: Tableau Server Administration does not have many input fields that require autocomplete support.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>1.4.3 Contrast (Minimum) (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Partially Supports	Web: Tableau Server Administration generally provides sufficient contrast for text. However, there are a few exceptions: <ul style="list-style-type: none"> ● Footer links and copyright content on the 'Login' page does not meet the minimum contrast requirements. ● Some of the text on yellow coloured labels does not meet the minimum contrast requirements. ● Occasional static text on various pages does not meet the minimum contrast requirements.
<p>1.4.4 Resize text (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Partially Supports	Web: Tableau Server Administration generally ensures that text can be resized without loss of content or functionality. However, when pages are zoomed to 200% using browser settings, content sometimes truncates or is cut off, affecting elements like longer text in columns on the 'Data Labels' page and various elements on the 'Site Status - Analysis Dashboard' page.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally avoids using images of text. However, in one instance on the 'Site Status - Analysis Dashboard' page, an image of text is used to show the updated Success status instead of actual text.</p>
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Does Not Support</p>	<p>Web: Tableau Server Administration frequently fails to ensure that content can be presented without loss of information or functionality when zoomed. When pages are magnified to 400% using browser settings, content is often cut off, requiring horizontal scrolling. This issue affects various elements, including tables, charts, and text across multiple pages.</p>
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that non-text contrast meets minimum requirements. However, there are a few exceptions:</p> <ul style="list-style-type: none"> ● Several non-text elements, including focus indicators, card resizer slider tracks, and boundary lines between panels, do not meet the minimum contrast ratio of 3:1 against their background. ● Some chart elements do not meet the minimum contrast ratio of 3:1 against their background.
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that text spacing can be adjusted without loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>However, when users increase text spacing, text sometimes truncates or overlaps. This affects 'Trending' text on image links, 'Actions' column headers, 'Description' column text, and 'Recycle Bin Site Content Reaper' text in tables and charts.</p>
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that content displayed on hover or focus is dismissible, hoverable, and persistent. However, there are a few instances where tooltips can only be dismissed by moving the mouse pointer away from the element.</p>
<p><u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration contains contextual navigation methods that allow users to navigate to different sections or pages as desired.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration uses headings and labels that describe topic or purpose.</p>
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that any user interface component that receives keyboard focus has a visible focus indicator.</p>
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that when a user interface component receives keyboard focus, the component is not entirely hidden by author-created content. However, when the 'Help' and 'Help - Detail' pages are zoomed to 200%, the sticky header completely obscures several focusable elements.</p>
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that all functionality that uses a dragging movement can be operated by a single pointer without a dragging movement, unless dragging is essential.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that the size of the target for pointer inputs is at least 24 by 24 CSS pixels. However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Several instances where interactive icon buttons are below 24 by 24 px and immediately adjacent to other interactive elements that are also less than the minimum. This includes arrow icon buttons that expand or collapse navigation menu tree items next to links, and pairs of filter and down icon buttons that appear on hover/focus. • Some stacked interactive chart text that is below the minimum target size.
<p>3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Where the UI controls or content in Tableau Server Administration are in a different language than the rest of the page, they are marked up with HTML language attributes.</p>
<p>3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration ensures that navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 		
<p>3.2.4 Consistent Identification (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: Tableau Server Administration ensures that components that have the same functionality within a set of Web pages are identified consistently.
<p>3.3.3 Error Suggestion (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: Tableau Server Administration ensures that if an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Tableau Server Administration does not require user to input any legal or financial data.</p>
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: Tableau Server Administration does not rely on cognitive function tests for authentication purposes.</p>
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) ● 11.4.1.3 (Open Functionality Software) ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Tableau Server Administration generally ensures that status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus. However, there are a few exceptions:</p> <ul style="list-style-type: none"> ● Several status messages, including those for successful actions and loading states, are not announced by screen readers. ● No inline error message is displayed for invalid or missing data during form submission on the 'Help' and 'Help - Detail' pages feedback form.

Table 3: Success Criteria, Level AAA

Notes: This product has not been evaluated for WCAG 2.2 Level AAA conformance.



Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users without vision. Critical issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values, severely impacting screen reader and keyboard navigation.
302.2 With Limited Vision	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited vision. Issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values. Additionally, there are instances of insufficient contrast for text and non-text elements, impacting readability and usability for users with low vision.
302.3 Without Perception of Color	Web: Partially Supports	Web: Tableau Server Administration partially supports users without perception of color. While some information is conveyed through multiple visual cues, there are instances where color is used as the sole means to convey information, such as distinguishing certain links from surrounding text.

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Web: Supports	Web: Tableau Server Administration provides a generally accessible experience for users without hearing. While there are no specific failures directly impacting users without hearing, the product does not contain any prerecorded audio-only, video-only, or live video with audio content, which would typically require captions or media alternatives.
302.5 With Limited Hearing	Web: Supports	Web: Tableau Server Administration provides a generally accessible experience for users with limited hearing. While there are no specific failures directly impacting users with limited hearing, the product does not contain any prerecorded audio-only, video-only, or live video with audio content, which would typically require captions or media alternatives.
302.6 Without Speech	Web: Supports	Web: Tableau Server Administration does not require speech to operate or retrieve information.
302.7 With Limited Manipulation	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited manipulation capabilities. Numerous interactive elements are not keyboard accessible, and focus order is frequently illogical, impacting navigation. Interactive components often lack proper names, roles, or values, making them difficult to operate with assistive technologies.
302.8 With Limited Reach and Strength	Web: Supports	Web: Tableau Server Administration does not contain any functionality that requires specific reach or strength to operate.

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited language, cognitive, and learning abilities. Critical issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values, impacting readability and usability.

Chapter 4: [Hardware](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 5: [Software](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	Salesforce provides electronic versions of all product support documentation related to this product. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
602.3 Electronic Support Documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Salesforce provides electronic versions of all product support documentation related to this product's accessibility. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
603.3 Accommodation of Communication Needs	Heading cell – no response required	Heading cell – no response required

EN 301 549 Report

Notes:

Clause 4: Functional Performance Statements (FPS)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users without vision. Critical issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values, severely impacting screen reader and keyboard navigation. Additionally, some status messages are not announced by assistive technologies, and certain input fields lack appropriate labels.
4.2.2 Usage with limited vision	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited vision. Issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values. Additionally, there are instances of insufficient contrast for text and non-text elements, content reflow issues when zoomed, and problems with content appearing on hover or focus, impacting readability and usability for users with low vision.

4.2.3 Usage without perception of colour	Web: Partially Supports	Web: Tableau Server Administration partially supports users without color perception. While some information is conveyed through multiple visual cues, there are instances where color is used as the sole means to convey information, such as distinguishing certain links from surrounding text. Additionally, text and non-text elements sometimes exhibit insufficient contrast.
4.2.4 Usage without hearing	Web: Supports	Web: Tableau Server Administration provides a generally accessible experience for users without hearing. While there are no specific failures directly impacting users without hearing, the product does not contain any prerecorded audio-only, video-only, or live video with audio content, which would typically require captions or media alternatives.
4.2.5 Usage with limited hearing	Web: Supports	Web: Tableau Server Administration provides a generally accessible experience for users with limited hearing. While there are no specific failures directly impacting users with limited hearing, the product does not contain any prerecorded audio-only, video-only, or live video with audio content, which would typically require captions or media alternatives.
4.2.6 Usage with no or limited vocal capability	Web: Supports	Web: Tableau Server Administration does not require vocal capability to operate or retrieve information.
4.2.7 Usage with limited manipulation or strength	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited manipulation capabilities. Numerous interactive elements are not keyboard accessible, and focus order is frequently illogical, impacting navigation. Interactive components often lack proper names, roles, or values, making them difficult to operate with assistive technologies.

4.2.8 Usage with limited reach	Web: Partially Supports	Web: Tableau Server Administration partially supports users with limited reach. While most functionality is accessible, there are instances where the accessible names of user interface components do not always contain the visually presented text, and some status messages are not programmatically announced by assistive technologies.
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: Tableau Server Administration does not contain any content that flashes more than three times in any one-second period.
4.2.10 Usage with limited cognition, language or learning	Web: Does Not Support	Web: Tableau Server Administration presents significant barriers for users with limited cognition, language, or learning abilities. Critical issues include missing or inadequate text alternatives for non-text content, information and relationships not being programmatically determined, and numerous keyboard accessibility failures. Focus order is frequently illogical, and interactive components often lack proper names, roles, or values. Additionally, problems with content appearing on hover or focus impact readability and usability.
4.2.11 Privacy	Web: Supports	Web: Tableau Server Administration is software that runs in a browser and does not interfere with the use of standard privacy controls alongside assistive technologies. For example, users can connect a headset for private listening to screen reader announcements.

Clause [5: Generic Requirements](#)

Notes: Not Applicable

Clause [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Clause [7: ICT with Video Capabilities](#)

Notes: Not Applicable

Clause [8: Hardware](#)

Notes: Not Applicable

Clause [9: Web](#) (see [WCAG 2.x section](#))

Notes: Not Applicable

Clause [10: Non-Web Documents](#)

Notes: Not Applicable

Clause [11: Software](#)

Notes: Not Applicable

Clause [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	See information in WCAG 2.x (602.2) section
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	See information in WCAG 2.x (603.2) section
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable