



Salesforce Accessibility Conformance Report International Edition

VPAT[®] (Voluntary Product Accessibility Template[®]) version 2.5

Name of Product/Version:	Salesforce Manufacturing Cloud / Winter '26
Report Date:	November 2025
Product Description:	<p>Manufacturing Cloud is a digital customer engagement platform and manufacturing CRM specifically built for the Manufacturing industry.</p> <p>It enables customers to seamlessly integrate opportunities with demand forecasts; Provide differentiated customer and distributor service more efficiently and gain valuable insights through contextualized data, AI, and analytics across your entire value chain.</p>
Contact information:	accessibility@salesforce.com
Notes:	<p>The scope of this ACR includes the functionalities / components from Salesforce Manufacturing Cloud:</p> <ul style="list-style-type: none">• Inventory Management• Warranty Lifecycle Management• Field Service Mobile UI (Inventory Count Workflow) <p>For more information, please visit Salesforce Product Accessibility Status at https://www.salesforce.com/company/legal/508_accessibility</p>
Evaluation Methods Used:	<p>Conformance to the listed accessibility standards has been evaluated using a combination of static analysis tools and manual testing with assistive technologies. Testing included a representative sample of different pages, states and content types. The following operating system, browsers, toolsets, and screen readers are used for evaluation: Windows 11, JAWS/Chrome, NVDA/Firefox, VoiceOver/Safari (spot-checks), iOS 18.4 iPhone/VoiceOver and Android 11/TalkBack, manual accessibility testing, and keyboard testing with visual focus.</p>

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included in Report
Web Content Accessibility Guidelines 2.0	Level A - Yes Level AA - Yes Level AAA - No
Web Content Accessibility Guidelines 2.1	Level A - Yes Level AA - Yes Level AAA - No
Web Content Accessibility Guidelines 2.2	Level A - Yes Level AA - Yes Level AAA - No
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.2 Level AAA.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - Clause 9 - Web
 - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
 - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
 - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
 - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
 - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>The default images provided within the standard Salesforce Manufacturing Cloud core features have a meaningful alternative (alt) text description. Non-relevant or decorative images have null alt attributes or are inserted as background images. Non-text content controls / inputs have accessible names.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> The decorative image in the "Advanced Exchange" modal is missing an empty alt attribute. Some decorative images within the Field Service Mobile screens ("Inventory Count Product Items" screen, "Perform Count" screen) contain redundant/duplicative alternative text. The non-text content "X" control / input in the "Enter Product Quantity" step1 of the "Perform Count" screen does not have an accessible name.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not include any prerecorded audio-only or video-only as standard default functionality.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not include prerecorded audio or video as a standard default functionality. Salesforce Manufacturing Cloud does not provide the capability for captioning or defining an audio description of content provider specified video content.

Criteria	Conformance Level	Remarks and Explanations
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not include any audio description or time-based media alternative for any of the prerecorded video content provided as part of the standard website.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Salesforce Manufacturing Cloud user interface contains semantic markup (headings, lists, etc.) to designate headings and emphasized text. Headings and WAI-ARIA landmarks, identity, role, operation, and state are used to help convey the presentation to assistive technologies.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Some form controls within the Salesforce Manufacturing Cloud pages ("New Inventory Replenishment Policy" page, "Inventory Replenishment Policy" record page, "Advance Exchange" modal, "Create Work Order" modal, "New Work Order Diagnosis" page) have insufficiently descriptive programmatic name/assistive text. • The instructions for datepicker elements within some Salesforce Manufacturing Cloud pages ("New Inventory Replenishment Policy" page, "Advance Exchange" modal) are incorrectly implemented. • Some headings within the Salesforce Manufacturing Cloud pages ("Account Details" page, "Check Serviceability" page, "Enterprise Quote" page) are incorrectly implemented. • The "Complete this field" error message for the "Product Reference Record" combobox in the "New Inventory Replenishment Policy" page is triggered when focus moves from the object switcher to the combo box. • Some headings within the Field Service Mobile screens ("Inventory Count Assessment Details" screen, "Inventory Count Product Items" screen, "Perform Count" screen) are incorrectly implemented. • Some form elements within the Field Service Mobile screens ("Inventory Count Assessment Details" screen, "Perform Count" screen) are incorrectly implemented.

Criteria	Conformance Level	Remarks and Explanations
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Salesforce Manufacturing Cloud is developed in a meaningful and correct reading sequence that can be programmatically determined. As an example, inputs and labels are contained within the same division element and listed in a meaningful sequence.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All instructions for operating within Salesforce Manufacturing Cloud user interface content are provided in textual format. Instructions and operating content do not rely on shape, size, or visual location, nor upon sound.

Criteria	Conformance Level	Remarks and Explanations
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Salesforce Manufacturing Cloud does not use color alone to distinguish the importance of a visual element. Textual representation is always used as the primary mechanism for conveying information. The WAI-ARIA role and selected state also communicate the proper information.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud page does not include audio or video content by default.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Salesforce Manufacturing Cloud supports standard keyboard navigation and input functions (pressing [Tab] to move between input fields, pressing the arrow keys to move between list items, and pressing [Space] or [Enter] to make selections).</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> Some icons/buttons/links within the Salesforce Manufacturing Cloud pages ("Claim Items" tab) are not keyboard-operable with screen readers turned off. Some elements within the Field Service Mobile screens ("Perform Count" screen) are not operable with mobile accessibility gestures.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	<p>Salesforce Manufacturing Cloud core features support standard keyboard navigation and ensure that keyboard users cannot be trapped in a subset of content. The keyboard focus is not locked or trapped at any page element.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Salesforce Manufacturing Cloud provides some keyboard shortcuts for the standard controls and content. The users are not allowed to turn off or reconfigure shortcuts that consist of only character keys.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Salesforce Manufacturing Cloud provides session time alerts and provides options to select additional time for continuing the login session.

Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not include moving, blinking, scrolling, or auto-updating information.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud core interface does not contain any type of flashes or flashing objects.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Salesforce Manufacturing Cloud core contains marked headings and WAI-ARIA landmarks to help users rapidly navigate to the desired content.

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Salesforce Manufacturing Cloud contains meaningful and relevant page titles that indicate the topic or purpose of each page.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> Some pages within the Salesforce Manufacturing Cloud ("Create Product Transfers" modal, "Edit Search Configuration" modal) are missing a title.
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Salesforce Manufacturing Cloud user interface and controls are navigated sequentially by tabbing through various inputs and labels. The user controls receive keyboard focus in the same tab order in which they are presented visually. Salesforce Manufacturing Cloud uses semantically correct markup, ensuring that the markup matches the visual presentation of content on the page.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> The keyboard focus order is not correctly provided in some Salesforce Manufacturing Cloud pages ("Create Product Transfers" modal, "Edit Search Configuration" modal, "Create Work Order" modal). The mobile screen reader focus order is not correctly provided in some Field Service Mobile screens ("Inventory Count Assessment" screen, "Perform Count" screen).

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Link elements within Salesforce Manufacturing Cloud provide a purpose both through the link text itself and the title attribute, even when reading out of context.</p> <p>However, there is an exception:</p> <ul style="list-style-type: none"> • The "Setup" link text (including its programmatically determinable context) in the "Criteria-Based Search and Filter" Setup page does not reflect the link destination.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Salesforce Manufacturing Cloud can be operated with a single pointer, without multipoint or path-based gestures for an operation.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Salesforce Manufacturing Cloud does not have any functionality that can be operated or executed using a single pointer cancellation.</p>
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Salesforce Manufacturing Cloud user interface has labels that include text or images of text that are visually presented with the name of the text.</p> <p>However, there is an exception:</p> <ul style="list-style-type: none"> • The accessible name for the "Product Reference Record" object switcher in the "New Inventory Replenishment Policy" page does not contain its visible label text.

Criteria	Conformance Level	Remarks and Explanations
2.5.4 Motion Actuation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	Salesforce Manufacturing Cloud does not contain functionality that can only be operated via device or user motion.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The default language of the page is specified or set on the HTML tag for the Salesforce Manufacturing Cloud page.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	There is no context change within the Salesforce Manufacturing Cloud user interface when a component receives focus.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Changing the setting of core components and features in the Salesforce Manufacturing Cloud user interface does not initiate any change of context.

Criteria	Conformance Level	Remarks and Explanations
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	All human contact / automated help mechanisms within Salesforce Manufacturing Cloud are located consistently in the same order & location relative to the other page content as it does throughout the site.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Users are visually notified when an input error is detected within the Salesforce Manufacturing Cloud data entry forms if a required field has not been completed. Proper error information is provided for the visual users in the form of visual text on the field level input elements, to enable the users to identify which fields were omitted and must be completed.

Criteria	Conformance Level	Remarks and Explanations
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Electronic form controls, including input fields and buttons in the Salesforce Manufacturing Cloud core features, can be operated, and accessed by using assistive technology. The form label elements within the Salesforce Manufacturing Cloud core features are properly associated and placed in line with the form fields.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> Some form elements within the Salesforce Manufacturing Cloud pages ("Add to Inventory Count Plan" modal, "Create Work Order" modal) are not identified or announced as required by screen readers as visually shown by the asterisk's indicator within the label text. Some form elements within the Salesforce Manufacturing Cloud pages ("Add to Inventory Count Plan" modal) are missing label association. The label text for some form elements within the Salesforce Manufacturing Cloud pages ("Create Product Transfers" modal, "Create Work Order" modal) is missing both a programmatic indicator and an asterisk (*) symbol to visually indicate that the field is required.
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	<p>Salesforce Manufacturing Cloud user interface provides users with non-manual options to input previous entry.</p>

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (O` Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata .

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>The name, role, and value used in Salesforce Manufacturing Cloud user interface elements are available to assistive technologies via HTML or WAI-ARIA to describe the identity, operation, and state. All buttons are standard HTML form inputs.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> The currently selected state of some form controls within the Salesforce Manufacturing Cloud pages ("New Inventory Replenishment Policy" page, "New Work Order Diagnosis" page) is not announced. The Object switcher in the "Create Work Order" modal has no accessible name. Some dialogs visually presented as a modal popup within the Salesforce Manufacturing Cloud pages ("Create Product Transfers" modal, "Edit Search Configuration" modal) are not detected as a dialog by screen readers. Some interactive elements within the Field Service Mobile screens ("All Inventory Count Assessments" screen, "Inventory Count Assessment Details" screen, "Inventory Count Product Items" screen) are missing proper action traits/values for screen readers.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not include any live audio and video content.

Criteria	Conformance Level	Remarks and Explanations
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Salesforce Manufacturing Cloud does not contain any audio description (prerecorded).
1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Salesforce Manufacturing Cloud does not restrict view and operation to a single display orientation.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Salesforce Manufacturing Cloud enables the input of information about the user that can be programmed. A visible label with appropriate instructions is provided to guide the user through the input fields on the form.</p>
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The default and standard features within the Salesforce Manufacturing Cloud screens provide sufficient color contrast between foreground and background text colors to enhance clarity, making it more legible for individuals with moderately low vision in user interface and controls.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The color contrast failed the minimum contrast ratio requirement for the "Setup" link text in the "Criteria-Based Search and Filter" Setup page with the "light blue" foreground text over the "Grey" background color. • The color contrast failed the minimum contrast ratio requirement for some texts within the Field Service Mobile screens ("All Inventory Count Assessments" screen, "Inventory Count Assessment Details" screen, "Inventory Count Product Items" screen).

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The text and images within the Salesforce Manufacturing Cloud user interface can be resized with the browser or the mobile device zoom and scaling feature.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Zoomed to 200% at the 1280x1024 display resolution, some sections within the Salesforce Manufacturing Cloud pages ("Inventory Replenishment Policy" record page, "Edit Search Configuration" modal, "New Work Order Diagnosis" page) contain issues with content information being cut off/overlapped. • Zoomed to 200% at the 1280x1024 display resolution, some sections within the Field Service Mobile screens ("All Inventory Count Assessments" screen, "Inventory Count Assessment Details" screen, "Inventory Count Product Items" screen, "Perform Count" screen) contain issues with content information being cut off/overlapped.

Criteria	Conformance Level	Remarks and Explanations
<u>1.4.5 Images of Text</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Salesforce Manufacturing Cloud user interface does not contain images in lieu of text. All text content within is included as pure text.
<u>1.4.10 Reflow</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	Salesforce Manufacturing Cloud components are not designed to be viewed on smaller screen sizes. However, there are a few exceptions: <ul style="list-style-type: none"> • Zoomed to 400% at the 1280x1024 display resolution, the information/functionality within some Salesforce Manufacturing Cloud pages ("New Inventory Replenishment Policy" page, "Inventory Replenishment Policy" record page, "Products Search and Transfer" tab, "Criteria-Based Search and Filter" Setup page, Claim Items" tab, "New Work Order Diagnosis" page) is lost and requires two-dimensional scrolling.

Criteria	Conformance Level	Remarks and Explanations
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Salesforce Manufacturing Cloud components and user controls support and are distinguishable by individuals with moderately low vision, with an accepted contrast ratio.
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Salesforce Manufacturing Cloud core user interface is implemented with proper use of CSS markup language that supports the different text style properties and ensures no loss of content or functionality when there is any change in settings or style properties such as line height and spacing.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Salesforce Manufacturing Cloud user interface works in coordination with keyboard focus or pointer hover.

Criteria	Conformance Level	Remarks and Explanations
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Salesforce Manufacturing Cloud user interface and interaction are straightforward. It contains a landing home page and contextual top navigation, from which the user can launch or navigate to different sections or pages, as desired.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Salesforce Manufacturing Cloud contains descriptive headings and text labels to inform assistive technology users of their location and current activity.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The label text for the "Skip this Step" checkbox in the "Edit Search Configuration" Modal is not sufficiently descriptive. • Multiple form controls with the identical label text are present in the "All Inventory Count Assessments" screen.
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>The focus indicator within the Salesforce Manufacturing Cloud user interface and controls are always visible and contrast well with the surrounding content and background.</p>

Criteria	Conformance Level	Remarks and Explanations
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 - Does not apply	Supports	All Salesforce Manufacturing Cloud interactive elements are at least partially visible / not fully obscured by overlapping content at the time of receiving keyboard focus in their initial position.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 - Does not apply	Supports	Pointer dragging actions within Salesforce Manufacturing Cloud can be achieved with a single pointer without dragging movement, for example, with point-and-click mechanism or input actionable menus.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 - Does not apply	Supports	All Salesforce Manufacturing Cloud pointer / touch Interactive elements have sufficient size and spacing.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) - Does not apply 11.3.1.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The human language information in the Salesforce Manufacturing Cloud user interface uses HTML 5 language markup for the elements that are accessed directly by commonly available assistive technology.

Criteria	Conformance Level	Remarks and Explanations
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Salesforce Manufacturing Cloud provides consistent and repeatable top menu navigation mechanisms across all pages to help users with assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Components and user interface controls are identified consistently for the same functionality across all Salesforce Manufacturing Cloud pages.

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Whenever an error is automatically detected within Salesforce Manufacturing Cloud data entry forms, the error suggestions for corrections are identified and provided visually to the user on the input form.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Data entered by users within Salesforce Manufacturing Cloud functionalities are checked using validation methods to help users confirm and correct data submissions. Salesforce Manufacturing Cloud does not contain forms that cause legal commitments or financial transactions.

Criteria	Conformance Level	Remarks and Explanations
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	Salesforce Manufacturing Cloud has an accessible authentication process implemented either as an alternative to cognitive function test or as a primary method of authentication.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	Salesforce Manufacturing Cloud provides status messages that can be programmatically determined using roles or properties which can be presented to the user of assistive technology without receiving any focus. However, there are a few exceptions: <ul style="list-style-type: none"> The "Enter a date that's on or after today's date" error notification message resulting from selecting the date from the "Need By Date" date picker element in the "Add Product Request Details" screen within the "Advanced Exchange" modal is displayed visually but is not announced by screen readers. Some error messages displayed visually within the Field Service Mobile screens ("Perform Count" screen) are not announced by mobile screen readers.

Table 3: Success Criteria, Level AAA

Notes: Salesforce Manufacturing Cloud has not been evaluated for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Salesforce Manufacturing Cloud uses standard platform attributes to describe the identity, operation, and state of user interface elements to assistive technologies. The core features and controls in Salesforce Manufacturing Cloud are reachable using the keyboard alone and announced by assistive technology. However, there are some exceptions. Refer to the WCAG 2.x section for details.
302.2 With Limited Vision	Partially Supports	Salesforce Manufacturing Cloud supports standard browser magnification and contrast adjustments. Salesforce Manufacturing Cloud is compatible with assistive technologies and supports the use of screen readers for the visually impaired. However, there are some exceptions. Refer to the WCAG 2.x section for details.
302.3 Without Perception of Color	Supports	Salesforce Manufacturing Cloud does not use color as the only means of conveying information. Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information.
302.4 Without Hearing	Not Applicable	Salesforce Manufacturing Cloud does not include audio-only features that require hearing to be used.
302.5 With Limited Hearing	Not Applicable	Salesforce Manufacturing Cloud does not include audio-only features that require hearing to be used.

Criteria	Conformance Level	Remarks and Explanations
302.6 Without Speech	Supports	Salesforce Manufacturing Cloud does not require speech to operate or retrieve information. Support services related to Salesforce Manufacturing Cloud can be found on the Salesforce.com website. Currently, telephone communication provision does not support TTY or relay services. Users with disabilities can open support request directly at http://help.salesforce.com
302.7 With Limited Manipulation	Supports	Salesforce Manufacturing Cloud supports standard input mechanisms such as user-provided keyboards and pointing devices. The utilization of the Salesforce Manufacturing Cloud user interface does not require fine motor skills controls or simultaneous actions.
302.8 With Limited Reach and Strength	Supports	Salesforce Manufacturing Cloud does not use simultaneous actions in either form as a method of operation or information retrieval. The actions within Salesforce Manufacturing Cloud can be executed either by a mouse click or simple keystrokes (e.g., tab, space, alpha keys, alt).
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Salesforce Manufacturing Cloud does not function in a way that is prohibitive to users with cognitive or learning impairment. Salesforce provides information on Salesforce Manufacturing Cloud accessibility features in the documentation. End-users with disabilities can open support request directly at http://help.salesforce.com However, there are some exceptions. Refer to the WCAG 2.x section for details.

Chapter 4: [Hardware](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 5: [Software](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		Salesforce provides electronic versions of all product support documentation related to this product. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
602.3 Electronic Support Documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation		End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		Salesforce provides electronic versions of all product support documentation related to this product's accessibility. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
603.3 Accommodation of Communication Needs		Support services related to this product can be found at the Salesforce.com help website. Currently, telephone communication provision does not support TTY or relay services. Users with disabilities can open support requests directly at http://help.salesforce.com

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Salesforce Manufacturing Cloud uses standard platform attributes to describe the identity, operation, and state of user interface elements to assistive technologies. However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.2 Usage with limited vision	Partially Supports	Salesforce Manufacturing Cloud supports standard browser magnification and contrast adjustments and enables users to magnify the font size of the textual content available on the user screen. However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.3 Usage without perception of color	Supports	Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information.
4.2.4 Usage without hearing	Not Applicable	Salesforce Manufacturing Cloud does not include audio-only features that require hearing to be used.
4.2.5 Usage with limited hearing	Not Applicable	Salesforce Manufacturing Cloud does not include audio-only features that require hearing to be used.
4.2.6 Usage with no or limited vocal capability	Not Applicable	Salesforce Manufacturing Cloud does not require speech input.
4.2.7 Usage with limited manipulation or strength	Supports	Salesforce Manufacturing Cloud supports standard input mechanisms such as user-provided keyboards and pointing devices.
4.2.8 Usage with limited reach	Not Applicable	Salesforce Manufacturing Cloud is not installed or requires any physical reach.
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	Salesforce Manufacturing Cloud does not include visual features with flashing that could trigger seizures.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Salesforce Manufacturing Cloud uses a logical focus order and provides capabilities for specifying error text for user interface components.

Criteria	Conformance Level	Remarks and Explanations
		However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.11 Privacy	Supports	Salesforce Manufacturing Cloud does not impede the usage of standard privacy controls alongside assistive technologies. For example, users can connect a headset for private listening to screen reader announcements.

Chapter 5: [Generic Requirements](#)

Notes: This product supports standard assistive technologies and is therefore not subject to the Closed Functionality criteria described in this Chapter.

Chapter 6: [ICT with Two-Way Voice Communication](#)

Notes: This product does not offer two-way voice communication and is therefore not subject to the requirements of this section

Chapter 7: [ICT with Video Capabilities](#)

Notes: This product does not offer video captioning and audio description and is therefore not subject to the requirements of this section.

Chapter 8: [Hardware](#)

Notes: Not Applicable

Chapter 9: [Web \(see WCAG 2.x section\)](#)

Notes: Not Applicable

Chapter 10: [Non-Web Documents](#)

Notes: Not Applicable

Chapter 11: [Software](#)

Notes: Not Applicable

Chapter 12: [Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	See information in WCAG 2.x (602.2) section
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	See information in WCAG 2.x (603.2) section
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter 13: [ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable