



Salesforce Accessibility Conformance Report International Edition

VPAT[®] (Voluntary Product Accessibility Template[®]) version 2.4

Name of Product/Version:	Omnichannel / Spring '25
Report Date:	March 2025
Product Description:	Omnichannel - The Salesforce Omni Agent experience offers a way for agents to engage and accept and manage their work that is routed their way. The Omni Supervisor comprises a set of experiences that enable a supervisor to manage incoming demand and track how their teams are meeting demand in real time.
Contact information:	accessibility@salesforce.com
Notes:	<p>The scope of this ACR includes the following functionalities / components:</p> <p>Omni-Channel Sidebar, After Conversation Work Card, Omni Supervisor Page (Wallboard Tab, Service Reps Tab, Queues Backlog Tab, Assigned Work Tab, Skills Backlog Tab, AI Agents Tab, Change queues Modal, Change skills Modal, Conversation with Guest Panel, Embedded Messaging Panel), Reassign case Modal.</p> <p>Mobile App: Omni Inbox Screen.</p> <p>For more information, please visit Salesforce Product Accessibility Status at https://www.salesforce.com/company/legal/508_accessibility</p>
Evaluation Methods Used:	Conformance to the listed accessibility standards has been evaluated using a combination of static analysis tools and manual testing with assistive technologies. Testing included a representative sample of different pages, states and content types. The following operating system, browsers, toolsets, and screen readers are used for evaluation: Windows 11, JAWS/Chrome, NVDA/Firefox, VoiceOver/Safari (spot-checks), iOS 18.1 iPhone / VoiceOver and Android 11 / TalkBack, manual accessibility testing, and keyboard testing with visual focus.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A - Yes Level AA - Yes Level AAA - No
Web Content Accessibility Guidelines 2.1	Level A - Yes Level AA - Yes Level AAA - No
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 - Documentation
- Revised Section 508: Chapter 5 - 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 - 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The default images provided within the standard Omnichannel core features have a meaningful alternative (alt) text description. Non-relevant or decorative images have null alt attributes or are inserted as background image. Non-text content controls / inputs have accessible names.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Omnichannel does not include any prerecorded audio-only or video-only as standard default functionality.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel does not include prerecorded audio or video as a standard default functionality. Omnichannel does not provide the capability for captioning or defining an audio description of content provider specified video content.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel does not include any audio description or time-based media alternative for any of the prerecorded video content provided as part of the standard website.

Criteria	Conformance Level	Remarks and Explanations
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Omnichannel user interface contains semantic markup (headings, lists, etc.) to designate headings and emphasized text. Headings and WAI-ARIA landmarks, identity, role, operation, and state are used to help convey the presentation to assistive technologies.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> The assistive text for the "Select Agent" checkbox elements in the "Service Reps" tab is not sufficiently descriptive / relevant for screen readers. Some form controls within the "Omnichannel" pages ("Omni-Channel" sidebar, "After Conversation Work" card, "Service Reps", "Queues Backlog", "Assigned Work", "Skills Backlog", "Wallboard" tabs, "Change queues" and "Change skills" modals) are incorrectly implemented. The QUEUE/TYPE panels within the "Omnichannel" pages ("Service Reps", "Queues Backlog", "Assigned Work", "Skills Backlog" tabs) contain issues with content information being cut off in the browser's default display size. The "Name" column header information in the "AI Agents" tab is not announced by JAWS screen reader.

Criteria	Conformance Level	Remarks and Explanations
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Omnichannel is developed in a meaningful and correct reading sequence that can be programmatically determined. As an example, inputs and labels are contained within the same division element and listed in a meaningful sequence.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All instructions for operating within Omnichannel user interface content are provided in textual format. Instructions and operating content do not rely on shape, size, or visual location, nor upon sound.

Criteria	Conformance Level	Remarks and Explanations
<u>1.4.1 Use of Color</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Omnichannel does not use color alone to distinguish the importance of a visual element. Textual representation is always used as the primary mechanism for conveying information. The WAI-ARIA role and selected state also communicate the proper information.
<u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel pages do not include audio or video content by default.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Omnichannel supports standard keyboard navigation and input functions (pressing [Tab] to move between input fields, pressing the arrow keys to move between list items, and pressing [Space] or [Enter] to make selections).</p> <p>By enabling screen readers, most of the Omnichannel Mobile features can be accessed through device onscreen touch capability and with left and right linear swipe movements.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The Agent preview window in the "Service Reps" tab is not keyboard-accessible. • The Reassign entity search result in the "Reassign case" modal is not keyboard-accessible. • The Reassign entity search result in the "Reassign case" modal is not keyboard-operable with VoiceOver screen reader on. • The Worklist items in the "Omni-Channel" sidebar are not keyboard-operable. • Various buttons in the "Omni-Channel" sidebar in collapsed state are not keyboard-operable with the screen readers turned off. • The "Change your Omni-Channel status" menu items and "Select a reason for declining" combobox list items within the "Omni Inbox" screen are not accessible via linear swiping gestures with TalkBack mobile screen reader.

Criteria	Conformance Level	Remarks and Explanations
<u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Omnichannel core features support standard keyboard navigation and ensure that keyboard users cannot be trapped in a subset of content. The keyboard focus is not locked or trapped at any page element.
<u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Omnichannel provides some keyboard shortcuts for the standard controls and content. The users are not allowed to turn off or reconfigure shortcuts that consist of only character keys.
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Omnichannel provides session time alerts and provides options to select additional time for continuing the login session.

Criteria	Conformance Level	Remarks and Explanations
<u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel does not include moving, blinking, scrolling, or auto-updating information.
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel core interface does not contain any type of flashes or flashing objects.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	<p>Omnichannel core contains marked headings and WAI-ARIA landmarks to help users rapidly navigate to the desired content.</p>
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Omnichannel contains meaningful and relevant page titles that indicate the topic or purpose of each page.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Some Omnichannel modals ("Change queues", "Change skills", "Reassign case") are missing a title.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Omnichannel Desktop user interface and controls are navigated sequentially by tabbing through various inputs and labels. The user controls receive keyboard focus in the same tab order in which they are presented visually. Omnichannel uses semantically correct markup, ensuring that the markup matches the visual presentation of content on the page.</p> <p>Omnichannel Mobile user interface and controls are navigated sequentially by linear swiping through the various inputs and labels. The controls receive swiping focus in the same tab order in which they are presented visually.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The keyboard focus order is not correctly provided within some "Omnichannel" pages ("Omni-Channel" sidebar, "Wallboard", "Service Reps", "Queues Backlog", "Assigned Work" tabs, "Conversation with Guest", "Embedded Messaging" panels, "Reassign case" modal). • The mobile screen reader focus order is not correctly provided within the "Omni Inbox" screen.

Criteria	Conformance Level	Remarks and Explanations
<u>2.4.4 Link Purpose (In Context)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Link elements within Omnichannel provide a purpose both through the link text itself and the title attribute, even when reading out of context.
<u>2.5.1 Pointer Gestures</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Omnichannel can be operated with a single pointer, without multipoint or path-based gestures for an operation.
<u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Omnichannel does not have any functionality that can be operated or executed using a single pointer cancellation.

Criteria	Conformance Level	Remarks and Explanations
<u>2.5.3 Label in Name</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	<p>Omnichannel user interface has labels that include text or images of text that are visually presented with the name of the text.</p> <p>However, there is an exception:</p> <ul style="list-style-type: none"> • The accessible name for the "Extend 1min 20 sec" button in the "After Conversation Work" card does not contain its visible label text.
<u>2.5.4 Motion Actuation</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	Omnichannel does not contain functionality that can only be operated via device or user motion.
<u>3.1.1 Language of Page</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The default language of the page is specified or set on the HTML tag for most of the pages in the Omnichannel pages.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	There is no context change within the Omnichannel user interface when a component receives focus.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Changing the setting of core components and features in the Omnichannel user interface does not initiate any change of context.

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Users are visually notified when an input error is detected within the Omnichannel data entry forms if a required field has not been completed. Proper error information is provided for the visual users in the form of visual text on the field level input elements, to enable the users to identify which fields were omitted and must be completed.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	The electronic form controls, including input fields and buttons in the Omnichannel core features, can be operated, and accessed by using assistive technology. The form label elements within the Omnichannel core features are properly associated and placed in line with the form fields. However, there are a few exceptions: <ul style="list-style-type: none"> Some combobox elements within the Omnichannel pages ("Omni-Channel" sidebar, "Wallboard" tab) are missing label values. The label text for the "Your Phone Type" required input field in the "Settings" section within the "Omni-Channel" sidebar is missing an asterisk (*) symbol to visually indicate that the field is required. The "Virtual Agents" radio button grouping in the "AI Agents" tab is missing legend element. The search input element in the "Change queues" and "Change skills" modals are missing label association.

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Omnichannel provides semantically correct markup for all interface elements. The HTML elements used within core features have complete start and end tags.
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	The name, role, and value used in Omnichannel user interface elements are available to assistive technologies via HTML or WAI-ARIA to describe the identity, operation, and state. All buttons are standard HTML form inputs. However, there is an exception: <ul style="list-style-type: none"> The "Ask Agentforce" button in the "Omni Inbox" android screen has no accessible name.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel does not include any live audio and video content.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Omnichannel does not contain any audio description (prerecorded).

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Omnichannel does not restrict view and operation to a single display orientation.</p> <p>However, there is an exception:</p> <ul style="list-style-type: none"> • The Omni Inbox screen within the Salesforce mobile android app does not support landscape orientation.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Omnichannel enables the input of information about the user that can be programmed. A visible label with appropriate instructions is provided to guide the user through the input fields on the form.</p>
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The default and standard features within the Omnichannel screens provide sufficient color contrast between foreground and background text colors to enhance clarity, making it more legible for individuals with moderately low vision in user interface and controls.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The color contrast failed the minimum contrast ratio requirement for various tooltip texts within the "Wallboard" tab. • The color contrast failed the minimum contrast ratio requirement for various texts within the "Omni Inbox" mobile screen.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The text and images within the Omnichannel user interface can be resized with the browser or the mobile device zoom and scaling feature.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Zoomed to 200% at the 1280x1024 display resolution, various Omnichannel pages ("Omni-Channel" sidebar, "Wallboard", "Service Reps", "Queues Backlog", "Assigned Work", "Skills Backlog" tabs, "Change skills" modal, "Conversation with Guest", "Embedded Messaging" panels) contain issues with content information being cut off / overlapped. • The "Large text size" changes are not supported by the "Omni Inbox" mobile screen.
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Omnichannel user interface does not contain images in lieu of text. All text content within is included as pure text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	Omnichannel components are not designed to be viewed on smaller screen sizes.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Omnichannel components and user controls mostly support and are distinguishable by individuals with moderately low vision, with an accepted contrast ratio.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The visual presentation for the chart in the “Agent Capacity” card within the "Wallboard" tab does not meet the contrast ratio of at least 3:1 against adjacent color(s). • The visual presentation for the "User" icon in the "Omni Inbox" mobile screen does not meet the contrast ratio of at least 3:1 against adjacent color(s).

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Omnichannel core user interface is implemented with proper use of CSS markup language that supports the different text style properties and ensures no loss of content or functionality when there is any change in settings or style properties such as line height and spacing.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Omnichannel user interface works in coordination with keyboard focus or pointer hover.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	<p>Omnichannel user interface and interaction are straightforward. It contains a landing home page and contextual top navigation, from which the user can launch or navigate to different sections or pages, as desired.</p>
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Omnichannel contains descriptive headings and text labels to inform assistive technology users of their location and current activity.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • Some form controls with identical labels/ assistive text are present within the "Omnichannel" pages ("Omni-Channel" sidebar, "Wallboard" tab).

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The focus indicator within the Omnichannel user interface and controls are always visible and contrast well with the surrounding content and background.</p> <p>However, there are a few exceptions:</p> <ul style="list-style-type: none"> • The keyboard focus indicator is not visible on the "clear" button within the Omnichannel pages ("Change queues", "Change skills" modals).
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>The human language information in the Omnichannel user interface uses HTML 5 language markup for the elements that are accessed directly by commonly available assistive technology.</p>

Criteria	Conformance Level	Remarks and Explanations
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Omnichannel provides consistent and repeatable top / bottom menu navigation mechanisms across all pages to help users with assistive technologies.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Components and user interface controls are identified consistently for the same functionality across all Omnichannel pages.

Criteria	Conformance Level	Remarks and Explanations
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Whenever an error is automatically detected within Omnichannel data entry forms, the error suggestions for corrections are identified and provided visually to the user on the input form.
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Data entered by users within Omnichannel functionalities are checked using validation methods to help users confirm and correct data submissions. Omnichannel does not contain forms that cause legal commitments or financial transactions.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	Omnichannel provides status messages that can be programmatically determined using roles or properties which can be presented to the user of assistive technology without receiving any focus. However, there is an exception: <ul style="list-style-type: none"> The success toast message visually displayed after executing the "Reassign" button related function in the "Reassign case" modal is not announced by NVDA screen reader.

Table 3: Success Criteria, Level AAA

Notes: Omnichannel has not been evaluated for WCAG 2.1 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Omnichannel uses standard platform attributes to describe the identity, operation, and state of user interface elements to assistive technologies. The core features and controls in the Omnichannel Mobile are reachable using the linear swiping alone and announced by assistive technology. However, there are some exceptions. Refer to the WCAG 2.x section for details.

Criteria	Conformance Level	Remarks and Explanations
302.2 With Limited Vision	Partially Supports	Omnichannel supports standard browser magnification and contrast adjustments. Omnichannel is compatible with assistive technologies and supports the use of screen readers for the visually impaired. However, there are some exceptions. Refer to the WCAG 2.x section for details.
302.3 Without Perception of Color	Partially Supports	Omnichannel does not use color as the only means of conveying information. Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information. However, there are some exceptions. Refer to the WCAG 2.x section for details.
302.4 Without Hearing	Not Applicable	Omnichannel does not include audio-only features that require hearing to be used.
302.5 With Limited Hearing	Not Applicable	Omnichannel does not include audio-only features that require hearing to be used.
302.6 Without Speech	Supports	Omnichannel does not require speech to operate or retrieve information. Support services related to Omnichannel can be found on the Salesforce.com website. Currently, telephone communication provision does not support TTY or relay services. Users with disabilities can open support request directly at http://help.salesforce.com
302.7 With Limited Manipulation	Supports	Omnichannel supports standard input mechanisms such as user-provided keyboards and pointing devices. The utilization of the Omnichannel user interface does not require fine motor skills controls or simultaneous actions.
302.8 With Limited Reach and Strength	Partially Supports	Omnichannel does not use simultaneous actions in either form as a method of operation or information retrieval. The actions within Omnichannel can be executed either by a mouse click or simple keystrokes (e.g., tab, space, alpha keys, alt). The actions within Omnichannel Mobile can be executed either by touch events such as tap, double-tap, or linear swiping (Left-to-right or vice versa).

Criteria	Conformance Level	Remarks and Explanations
		However, there are some exceptions. Refer to the WCAG 2.x section for details.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	<p>Omnichannel does not function in a way that is prohibitive to users with cognitive or learning impairment. Salesforce provides information on Omnichannel accessibility features in the documentation. End-users with disabilities can open support request directly at http://help.salesforce.com</p> <p>However, there are some exceptions. Refer to the WCAG 2.x section for details.</p>

Chapter 4: [Hardware](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 5: [Software](#)

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<i>601.1 Scope</i>	Heading cell – no response required	Heading cell – no response required
<i>602 Support Documentation</i>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		<p>Salesforce provides electronic versions of all product support documentation related to this product. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com</p>
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation		End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
<i>603 Support Services</i>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		Salesforce provides electronic versions of all product support documentation related to this product's accessibility. End-users with disabilities can request additional product support documentation by opening a new case at http://help.salesforce.com
603.3 Accommodation of Communication Needs		Support services related to this product can be found at the Salesforce.com help website. Currently, telephone communication provision does not support TTY or relay services. Users with disabilities can open support requests directly at http://help.salesforce.com

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Omnichannel uses standard platform attributes to describe the identity, operation, and state of user interface elements to assistive technologies. However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.2 Usage with limited vision	Partially Supports	Omnichannel supports standard browser magnification and contrast adjustments and enables users to magnify the font size of the textual content available on the user screen.

Criteria	Conformance Level	Remarks and Explanations
		However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.3 Usage without perception of color	Partially Supports	Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information. However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.4 Usage without hearing	Not Applicable	Omnichannel does not include audio-only features that require hearing to be used.
4.2.5 Usage with limited hearing	Not Applicable	Omnichannel does not include audio-only features that require hearing to be used.
4.2.6 Usage with no or limited vocal capability	Not Applicable	Omnichannel does not require speech input.
4.2.7 Usage with limited manipulation or strength	Supports	Omnichannel supports standard input mechanisms such as user-provided keyboards and pointing devices.
4.2.8 Usage with limited reach	Not Applicable	Omnichannel is not installed or requires any physical reach.
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	Omnichannel does not include visual features with flashing that could trigger seizures.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Omnichannel uses a logical focus order and provides capabilities for specifying error text for user interface components. However, there are some exceptions. Refer to the WCAG 2.x section for details.
4.2.11 Privacy	Supports	Omnichannel does not impede the usage of standard privacy controls alongside assistive technologies. For example, users can connect a headset for private listening to screen reader announcements.

Chapter 5: [Generic Requirements](#)

Notes: This product supports standard assistive technologies and is therefore not subject to the Closed Functionality criteria described in this Chapter.

Chapter 6: [ICT with Two-Way Voice Communication](#)

Notes: This product does not offer two-way voice communication and is therefore not subject to the requirements of this section

Chapter 7: [ICT with Video Capabilities](#)

Notes: This product does not offer video captioning and audio description and is therefore not subject to the requirements of this section.

Chapter 8: [Hardware](#)

Notes: Not Applicable

Chapter 9: [Web \(see WCAG 2.x section\)](#)

Notes: Not Applicable

Chapter 10: [Non-Web Documents](#)

Notes: Not Applicable

Chapter 11: [Software](#)

Notes: Not Applicable

Chapter 12: [Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	See information in WCAG 2.x (602.2) section
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	See information in WCAG 2.x (603.2) section
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section



Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not Applicable